

HEAD PROTECTION





State-of-the-art manufacturing process: Modern moulding technology along with stringent production control - ensuring safe and reliable operations. Durability: Virgin raw material like PE, ABS and reinforced fiberglass ensures durability and performance. Ergonomic: Lightweight, easily adjustable sizing system for individual head sizes catering to every individual need. Innovative: Shell design and comfortable fittings, simple adjustments yet stable and robust Application and work ambience orientation: Wide range of helmets providing choice for many, Integrated and optimally designed for protection and comfort Compatibility: Designed to be perfectly fit with other PPEs like earmuff and face shields enhancing the level of protection. Leadership: 35 years of experience and first to launch various specialised helmets in India, the best in its class. State-of-the-art testing facilities ensures stringent compliance with international and Indian certifications




Temperature resistant



Strong and durable



Ratchet fit



Air Ventilation



Lightweight



Recyclable



Ratchet suspension



Textile suspension

Colours available



THERMOGUARD 9000 SERIES (FIBERGLASS HELMET)

Material

- Proprietary injection-molded fiberglass compound

Suspension

- 4 point textile suspension with slip fit or ratchet fit adjustment
- Adjustable chin strap
- High quality sweat band
- Size : 53 - 60 cm

Standard

- IS:2925:1984 ISI marked

Key features

- Designed for use in industries where there is a hazard from high levels of radiant heat
- Environment friendly as the material is re-cyclable.
- 8X stronger than HDPE helmets yet lightweight
- Greater impact resistance and crack resistance with cross ribs – more reliable and durable
- More rugged, to sustain extreme conditions
- Aesthetic look with smooth finish – injection moulded solid colour resin for a permanent, no-chip, no-peel finish



Ideal for heat zone

Model	Shell	Cradle	Head band	Sweat band	Adjustment
THERMOGUARD TG4	FRP	Textile - 4 point	Plastic	Brushed cloth on foam	Slip fit
THERMOGUARD TG4 RX	FRP	Textile - 4 point	Plastic	Brushed cloth on foam	Ratchet fit



Ratchet suspension



Textile suspension

Colours available



VISTA 8000 SERIES

- Material : HDPE
- Suspension : 4-point textile cradle with plastic headband having slip fit or ratchet fit adjustment
- Chin strap : Adjustable
- Sweat band : Brushed cloth on foam
- Size : 53 - 60 cm

Key features

- Design : Lightweight aerodynamic design with X-ribs across the helmet shell
- Adaptability : Universal slots to accommodate face and hearing protection accessories
- Standard : IS:2925:1984 ISI marked



Aero dynamic design

Model	Shell	Cradle	Head band	Sweat band	Adjustment
VISTA 8000 L	HDPE	Textile - 4 point	Plastic	Brushed cloth on foam	Slip fit
VISTA 8000 LRX	HDPE	Textile - 4 point	Plastic	Brushed cloth on foam	Ratchet fit



Ratchet suspension



Plastic suspension

Colours available



ULTRA VENT 7000 SERIES

- Material : HDPE
- Suspension : 6 point plastic suspension with slip fit or ratchet fit adjustment
- Chin strap : Adjustable
- Sweat band : Brushed cloth on foam
- Size : 51-62 cm

Key features

- Ventilation : Unique crown ventilation system
- Adaptability : Universal slots to accommodate face and hearing protection accessories
- Standard : IS:2925:1984 ISI marked
EN 397 CE marked
- Design : Three ribs at the top of the helmet



For highly humid areas

Model	Shell	Cradle	Head band	Sweat band	Adjustment
ULTRA VENT 7000 L	HDPE	Plastic - 6 points	Plastic	Brushed cloth on foam	Slip fit
ULTRA VENT 7000 LRX	HDPE	Plastic - 6 points	Plastic	Brushed cloth on foam	Ratchet fit



Textile suspension



Plastic ratchet suspension

Colours available



FUSION 6000 SERIES

Material

- ABS with 8 point plastic or textile suspension system with slip fit or ratchet fit adjustment
- Adjustable chin strap
- Brushed cloth on foam sweat band

Key features

- Lightweight with maximum protection
- Distinctive aerodynamic design with universal appeal
- Lower extension of nape strap to prevent dislodging
- Ventilation at highest point to allow cool airflow and maximum comfort inside

- Short peak for better upward visibilities
- Universal slots to accommodate face and hearing protection accessories
- Excellent rain management system to effectively reduce the flow of water down the neck
- Multiple positions to print company logo
- Electrical resistance up to 440 V (Unvented)
- Standard : Conforms to EN 397 CE marked



For prolonged uses where weight and comfort is foremost important

Model	Shell	Cradle	Head band	Sweat band	Adjustment
FUSION 6000 L	ABS	Textile - 8 points	Plastic	Brushed cloth on foam	Slip fit
FUSION 6000 L RX	ABS	Textile - 8 points	Plastic	Brushed cloth on foam	Ratchet fit
FUSION 6001 L	ABS	Plastic - 8 points	Plastic	Brushed cloth on foam	Slip fit
FUSION 6001 LRX	ABS	Plastic - 8 points	Plastic	Brushed cloth on foam	Ratchet fit



Ratchet textile suspension



Plastic suspension

Colours available



ULTRA 5000 SERIES

- Material : HDPE
- Suspension : 6 point plastic or textile suspension with slip fit or ratchet fit adjustment
- Chin strap : Adjustable
- Size : 51 – 62 cm
- Sweat band : Brushed cloth on foam

Key features

- Design : Three ribs at the top of the helmet
- Adaptability : Fully-compatible with the range of face and hearing accessories
- Standard : IS:2925:1984 ISI marked
EN 397 CE marked
DGMS approved

Model	Shell	Cradle	Head band	Sweat band	Adjustment
ULTRA 5000 L	HDPE	Plastic - 6 points	Plastic	Brushed cloth on foam	Slip fit
ULTRA 5000 LRX	HDPE	Plastic - 6 points	Plastic	Brushed cloth on foam	Ratchet fit
ULTRA 5001 L	HDPE	Textile - 6 points	Plastic	Brushed cloth on foam	Slip fit
ULTRA 5001 LRX	HDPE	Textile - 6 points	Plastic	Brushed cloth on foam	Ratchet fit



Plastic suspension

Colours available



UI 1211

- Material : HDPE
- Suspension : 6 point plastic suspension with slip fit adjustment
- Size : 53 – 61 cm
- Chin strap : Adjustable
- Standard : IS:2925:1984 ISI marked
DGMS approved



UI 1311



UI 1411

Model	Shell	Cradle	Head band	Sweat band	Adjustment
UI 1211	HDPE	Plastic - 6 points	Plastic	X	Slip fit
UI 1311 (Industrial)	HDPE	Textile - 8 points	Textile	In-built	Chin fit
UI 1411 (Load carrying)	HDPE	Textile - 8 points	Textile	In-built	Chin fit

HELMET AT A GLANCE

Model	Shell	Cradle	Head Band	Sweat Band	Adjustment
THERMOGUARD TG4	FRP	Textile - 4 points	Plastic	Brushed cloth on foam	Slip fit
THERMOGUARD TG4 RX	FRP	Textile - 4 points	Plastic	Brushed cloth on foam	Ratchet fit
VISTA 8000 L	HDPE	Textile - 4 points	Plastic	Brushed cloth on foam	Slip fit
VISTA 8000 LRX	HDPE	Textile - 4 points	Plastic	Brushed cloth on foam	Ratchet fit
ULTRA VENT 7000 L	HDPE	Plastic - 6 points	Plastic	Brushed cloth on foam	Slip fit
ULTRA VENT 7000 LRX	HDPE	Plastic - 6 points	Plastic	Brushed cloth on foam	Ratchet fit
FUSION 6000 L	ABS	Textile - 8 points	Plastic	Brushed cloth on foam	Slip fit
FUSION 6000 L RX	ABS	Textile - 8 points	Plastic	Brushed cloth on foam	Ratchet fit
FUSION 6001 L	ABS	Plastic - 8 points	Plastic	Brushed cloth on foam	Slip fit
FUSION 6001 LRX	ABS	Plastic - 8 points	Plastic	Brushed cloth on foam	Ratchet fit
ULTRA 5000 L	HDPE	Plastic - 6 points	Plastic	Brushed cloth on foam	Slip fit
ULTRA 5000 LRX	HDPE	Plastic - 6 points	Plastic	Brushed cloth on foam	Ratchet fit
ULTRA 5001 L	HDPE	Textile - 6 points	Plastic	Brushed cloth on foam	Slip fit
ULTRA 5001 LRX	HDPE	Textile - 6 points	Plastic	Brushed cloth on foam	Ratchet fit
UI 1211	HDPE	Plastic - 6 points	Plastic	X	Slip fit
UI 1311 (Industrial)	HDPE	Textile - 8 points	Textile	In-built	Chin fit
UI 1411 (Load carrying)	HDPE	Textile - 8 points	Textile	In-built	Chin fit

HEARING PROTECTION



ET 50

- Helmet attachable ear muff
- Designed to offer an excellent noise attenuation
- Height adjustability feature for long period user comfort
- Customised to be used with only Udyogi Ultra 5000 series helmet
- NRR 23 dB



EAR MUFF

ET 20

- Lightweight ear muff to filter hazardous noise
- No exposure of metal parts
- Adjustable ear - cups
- Soft foam - filled cushions and large ear cup openings to provide greater protection and comfort
- NRR 23 dB



ET 40

- Head mountable ear muff
- Personal adjustment by simply sliding the cups up and down
- Highly flexible, 360 degrees rotating headband
- Wide, asymmetric cup openings
- Specially designed low pressure headbands for long duration use
- NRR 22 dB

EP 01 REUSABLE EAR PLUG

- Soft formulation, provides added comfort
- Finger grip design improves ease of insertion
- Polyester cord
- Attenuation SNR 25 dB
- Standard EN 352-2 CE Marked

